

<b>Properties</b>	<b>Result</b>
Density at 15 °C, Kg/m <sup>2</sup>	0.820 min – 0.845 max
Appearance	Clear and Bright
Acid number, mg KOH/g	0.25 max
Ash, mass %	0.01 max
Carbon residue, Ramsbottom, mass %	0.20 max
Cetane Index	52 min
Cold filter plugging point, °C	0 max
Color, ASTM	2 max
Sulphur, mg/kg	500 max
Corrosion, Copper Strip 3h at 100 °C	1 max
Distillation	
10% Recovered, °C	275 max
50% Recovered, °C	325 max
90% Recovered, °C	357 max
Recovery @ 250 °C, vol %	65 max
Recovery @ 350 °C, vol %	85 max
End point, °C	390 max
Flash point, Pensky-Martens Closed Cup, °C	65 min
Lubricity, @60 °C, WSD, microns	460 max
Oxidation, stability, g/m <sup>3</sup>	10 max
Total contamination, mg/kg	24 max
Water content, mass, mg/kg	200 max
Viscosity, Kinematic, eSt at 40 °C	2.2 min – 405 max